

ECE 435 – Network Engineering

Lecture 18

Vince Weaver

`http://web.eece.maine.edu/~vweaver`

`vincent.weaver@maine.edu`

29 March 2022

Announcements

- Wireless Spectrum Allocation Poster
- I should have responded to you with project topic feedback.
- HW#8 was posted
- Office Hour Update
- Current events, BGP misconfiguration had twitter being routed through Russia for 45 mins. Resource Public Key Infrastructure and Route Origin Authorizations minimized the number of routes affected.



HW#7 Review – IPv4

- Header:

```
0x000e: 4500 = version(4), header length(5)=20 bytes  
        ToS=0  
0x0010: 0038 = packet length (56 bytes)  
0x0012: 572a = identifier  
0x0014: 4000 = fragment 0100 0000 0000 0000 =  
        do not fragment, offset 0  
0x0016: 40 = TTL = 64  
0x0017: 06 = Upper layer protocol (6=TCP)  
0x0018: 69cc = checksum  
0x001a: c0a80833 = source IP 192.168.8.51  
0x001e: 826f2e7f = dest IP 130.111.46.127
```

- Valid IPs



- 123.267.67.44 = N
- 8.8.8.8 = Y
- 3232237569 = 192.168.8.1
- 0xc0a80801 = 192.168.8.1
- A class-A allocation is roughly $2^{24}/2^{32}$ which is 0.39%
- 192.168.13.0/24. subnet 255.255.255.0, lowest ip 192.168.13.1, highest 192.168.13.254 (traditionally can't use the host values with all 0 or 1s (so .0 and .255 on a /24). There's a push to allow .0 on Linux
- First hop not local (how to tell?) goes to router



Otherwise go direct (can you go direct? how).

- Ping google. 1e100.net?
- Traceroute. Some routers block?

Used to pass through Neville hall



HW#7 Review – NAT/IPV6

- NAT questions:
 - No 192.168.8.x should not be able to connect to outside directly.
 - NAT is happening.
 - Why is nat showing UNREPLIED? TCP vs UDP difference. Can you detect when TCP connection is closed? Yes. Can you detect when UDP connection is done? No. Must keep port open a bit in case reply. How long. Forever? What goes wrong with that?



- IPv6 addresses

- 2607:f8b0:4009:0801:0000:0000:0000:200e – OK
- 2607:f8b0:4009:801::200e – OK
- 2607:f8b0::4009:801::200e – can you have two colons?
- 123.45.67.18 – ipv4

- IPv6 packet

```
0x000e: 6002 2618 :  
6 = IPv6  
00 = traffic class  
2618 = flow label  
0x0012: 0031 =      payload length, 49  
0x0014: 11 =      next header = 0x11, UDP  
0x0015: 40 =      hop limit 0x40, 64  
0x0016: 2610 0048 0100 08da 0230 18ff feab 1c39  
          source address  
0x0026: 2001 4860 4860 0000 0000 0000 0000 8844  
          destination address
```



- traceroute:
 - internet2
 - bost/hart/newy probably boston, hartford, new york
 - lon2.uk London
 - janet is british academic network
 - 6→7 across ocean
 - 80ms = ?? speed of light
 - $80e-3s \cdot 3e8m/s = 24000km?$ $5500km = 1/4$ speed of light?
- traceroute6
 - different hops? IP6 different? random chance



- hop 5→6
- Washington? internet 2?
- Abilene was the predecessor to internet2
- fra.de Frankfurt Germany probably not France
- latency 133ms rather than 106ms



Physical Layer – Wireless

- First some Physics review
- c = speed of light in vacuum $3 \times 10^8 m/s$ (roughly 1 foot/ns)
- In wire/fiber more like 2/3 of value, freq dependent
- f = frequency, oscillations per second
- λ = wavelength, distance between two peaks
- $\lambda f = c$
- Bandwidth varies with f , but can get roughly 8bits/Hz
- bandwidth calc $\Delta f = \frac{c\Delta\lambda}{\lambda^2}$



Electromagnetic Spectrum

See chart below. Why aren't UV, x-ray and gamma rays used much?

Rough table, based on one found on Wikipedia



Type	Name	Freq	Wavelength
Ionizing	Gamma	300EHz	1pm
	Hard X	30EHz	10pm
		3EHz	100pm
	Soft X	300PHz	1nm
	Extreme UV	30PHz	10nm
Visible	Near UV	3PHz	100nm
	Visible	300THz	1 μ m
	Near IR	30THz	10 μ m
	Mid IR	3THz	100 μ m
	Far IR	300GHz	1mm
Radio/Microwave	EHF	30GHz	1cm
	SHF	3GHz	10cm
	UHF		
	VHF	300MHz	1m
	HF	30MHz	10m
		3MHz	100m
	MF	300kHz	1km
	LF	30kHz	10km
	VLF	3kHz	100km
	ULF	300Hz	1Mm
	SLF	30Hz	10Mm
	ELF	3Hz	100Mm



Radio Transmission

- Radio from 3kHz to 1GHz. VLF (3-30kHz) LF (30-300kHz) MF (300kHz-3MHz) HF (3-30MHz) VHF (30MHz-300MHz) UHF (300MHz-3GHz)
- Even lower? ELF (3Hz) submarines?



Radio Propagation

- Can travel long distances, omni-directional (go in all directions)
why is omni bad? interference, everyone can hear
- Inverse square law at lower frequencies
- High frequencies go in straight lines and bounce off things and absorbed by rain
- VLF, LF and MF follow ground
- MF (AM radio) pass through buildings easily, but low bandwidth



- VHF can bounce off ionosphere



Bandwidth Regulation

- Government regulated
- ITU (international telecommunication union)
- FCC (federal communications commission) – US



Microwaves

- Digression about optics class at UMD
- 1GHz to 300GHz (overlap with UHF)
- GPS at 1.2 and 1.6GHz, Wifi 2.4GHz and 5GHz
- Microwaves, above 100MHz travel in nearly straight lines, can be focused. Before fiber optics transmitted across country like this. Multipath fading. Up to 10GHz used, but above 4GHz absorbed by water (only few inches long)
- Absorbed by water, as in microwave oven.



- Benefits: no need to dig up right of way (MCI, microwave towers. Sprint Southern Pacific railroad fiber)



Infrared

- 300GHz-400THz
- cannot penetrate walls (is that good or bad?)
- IrDA



Visible Light

- Networks that modulate the lightbulbs in a room?
- Laser links between roofs of buildings (cannot penetrate fog well)
- No need for FCC license
- Hard to tap



Electromagnetic Spectrum

- Government regulated
- Hard to decide to allocate. Recently auction, lead to crazy large fees but then companies can't actually pay them
- alternative is “spread spectrum” frequency hop until find one that's free.
- ISM (Industrial/Scientific/Medical) Mostly unregulated bands
 - 902-928MHz (1W in US)



- 2.4 - 2.4835 GHz
- 5.735 - 5.860GHz



Communications Satellites

- geostationary – 35,800km. Need to be at least 2 degrees apart to avoid interference, so only 180 slots. But can use tricks to avoid this (different frequencies, polarization). ITU regulates slots
- Certain frequencies allocated to avoid microwave interference L (1.5GHz), S (1.9GHz) C (4.0GHz) Ku (11GHz) Ka (20GHz). Higher bands have problems with rain.



- Originally just transponders, signals that wait on a certain frequency, amplify, rebroadcast at another. Modern ones can do more processing
- geostationary 250 to 300ms latency
- medium-earth-orbit – closer than GEO (between the radiation belts). drift though. Not widely used, but GPS is here. Less powerful transmitter needed.
- LEO – low Earth orbit. Only few ms latency, low power. Iridium (77) not Dysprosium (66)



Other newer ventures, cube-sats?

SpaceX Starlink is a sudden but overwhelming contender



Satellite vs Fiber


- Fiber: point to point. Satellite anyone with a dish can tap in anywhere
- Mobile: airplanes and such
- Broadcast: send once, receive by many
- Difficult landscape. Uneconomical to lay fiber to every house in distant regions
- Rapid deployment – just launch a satellite
- Harder to destroy? Varies. Accidentally satellite collisions. Accidental backhoes.



- Cost: be careful with this one. Depends a lot on the situation.
- Privacy – harder to intercept fiber?



The Last Mile (to your House)



Wired Phone Network

- Originally all analog. Point-to-point
- Switching offices, operator manually jumper
- Later automatic dialing involved (story of that, Stowager gear)
- Wires connecting to your house “local loop”



Data over Phone lines

- Rent your own local loop
- Modems on both ends. Before 1984 not allowed to, acoustic couplers
- Modem doesn't send raw binary, it uses sine wave carrier
Max a perfect phone line can do about 3000Hz, so max is 2400bps. Instead change the "baud" which is *symbols* per second. Say four different voltages. Also say different phase shifts. Quadrature Phase Shift



Keying

- Interesting to me as I used to do all of this
- Duplex – simplex or full duplex
- Hit Shannon limit about 33.6kbps
- how do you hit 56k? need ISP equipment at the exchange, can bypass some restrictions. Also different rates up/down



Broadband

- Sort of a generic (marketing?) term meaning “faster than a landline modem”



DSL

- Normal phone lines have a filter from 300 – 4000Hz
- For DSL they remove the filter
- You need to put own filter on your actual phones in house
- Speed depends on distance to the facility
- Often asymmetric. Could split 50/50, but people usually download more so make it favor download



- 250 channels of data coming down. Modem has a DSP to convert this to data
- Pair bonding (up to 1GBps) by using two pairs (for historical reasons used to get two pairs to your house in case you wanted two numbers)



Cable Modems

- Cable typically a broadcast medium
- Single cable shared by many users; download a large file and you slow everyone else (not a problem with DSL)
- Bandwidth of co-ax higher than twisted pair
- TV stations in US typically 54-550MHz
So for cable modem, uplink in 5-42MHz
Downlink 550MHz-750MHz
Asymmetric



- QAM-256, QPSK
- encrypted
- Originally hundreds of houses per run, but now fiber getting closer and closer and fewer shared resources



FIOS

- Fiber to the home. One fiber line sent to neighborhood, split for 32 subscribers
- 50Mbps-500Mbps symmetric
- VOIP

